


vSolution Cynap™ Pure: High performance BYOD wireless presentation



Cynap Pure: BYOD wireless presentation made easy!

When you're looking for a wireless BYOD presentation solution for your organisation – look no further than Cynap Pure, the leading solution for meeting rooms, classrooms and huddle spaces everywhere.

With best-in-class, crystal clear, 4K UHD resolution, unrivaled ease of use, 4 window on-screen display, touchback functionality, and unique professional features unavailable on any other competitor system, check out Cynap Pure, the No. 1 wireless BYOD screen sharing solution available today.



Pure perfection!

- >> Easy to setup, simple to use
- >> Hassle-free screen mirroring for all smartphones, laptops & tablets
- >> No apps, no dongles required
- >> Best-in-class security features
- >> Outstanding hardware performance
- >> Remote administration & management

Focus on features

No apps, no buttons, no cables, no hassle



Cynap Pure supports AirPlay, Miracast, and Chromecast screen mirroring, so no apps, buttons, dongles or extra software are needed when sharing content on-screen from any smartphone, laptop or tablet.

4K UHD output resolution



4K UHD output resolution at 60 frames per second ensures that on-screen content from any device always looks superb, and the innovative touchback feature gives you latency-free remote control of your laptop while working at the main screen.

Enterprise level security




Network security is a key consideration, and our custom-built, closed, Linux system offers 100% wireless data encryption, IEEE802.1x authentication, plus customisable security features to give you exactly the level of protection you require.

Professional integration



Cynap Pure can be set up and used immediately. Settings are easy to configure, and customisable/prepared API modules ensure professional integration, whatever your requirements. Configuration is also possible to control peripheral devices.

Remote management & administration



Our vSolution Link Pro software is supplied free of charge facilitating easy remote setup, monitoring, management, and updating of multiple systems across multiple locations.

Free firmware, no license fees



Regular firmware updates provide you with new features and improvements, helping to extend the life of your investment and maximise your ROI.



Technical specifications



Optional remote control

Features

| | |
|--|--|
| Operating system | Linux |
| Output resolutions | 2160p60/30, 1080p60/30, 720p60 |
| vSolution MATRIX compatible | - |
| Wireless device mirroring | Yes |
| Supported mirroring protocols | AirPlay, Miracast (Peer-to-Peer and MICE) Chromecast, vSolution Cast |
| Supported device operating systems for mirroring | iOS, iPadOS, Android, Windows, macOS, Chrome OS |
| Supported apps / software | vSolution App, vSolution Cast, vSolution Link Pro |
| Touchback functionality | Yes, for Windows devices (Miracast & vSolution Cast) |
| Max. no. of devices simultaneously displaying material on-screen | 4 |
| Protected Mode / Open Mode | Yes (via room control system) |
| Dynamic on-screen arrangement | Yes |
| Customizable background image & screensaver | Yes |

Connectivity

| | |
|---------------------------------|--|
| Video output | HDMI Out x1 |
| USB ports | Rear USB 3.0 x2, Front USB 3.0 x2 |
| Bluetooth device discovery | Yes |
| LAN ports | 1x 1 GigE |
| WLAN standards | 802.11 ac/a/b/g/n (2.4 and 5GHz) up to 867 Mbps |
| Network protocols | TCP/IP, HTTP, HTTPS, SNMP/NTP, SSL, SSH, UDP |
| IP configuration | DHCP, Static (IP address, Subnet mask, Default gateway, DNS server), Proxy, Interface priority |
| Security authentication for LAN | IEEE 802.1X |
| Security encryption for WLAN | WEP, WPA2, WPA2 Enterprise or IEEE 802.1X |
| RMS encryption | Yes |
| Audio | Via HDMI Out, USB |

Others

| | |
|--------------------------------|--|
| External controlling | Multi-touch display, web interface, room control system, USB keyboard & mouse, optional remote control |
| Dimensions (L x W x H) | 115 x 110 x 37 mm (4.53 x 4.33 x 1.46 inches) |
| Power consumption | 65-90W |
| Weight | 480g (1.06lb) |
| Included accessories | Power supply, VESA mount 75mm /100mm |
| Optional accessories | Optional remote control |
| Free firmware updates included | Yes |
| Limited warranty | 3 years |

Your WolfVision Partner:



More information:

WOLFVISION®

www.wolfvision.com

Head Office:

WolfVision GmbH
6833 Klaus / Austria
Tel. +43 5523 52250
wolfvision@wolfvision.com

Japan Sales Office
WolfVision Co. Ltd.
Tel. +81 3 6233 9465
wolfvision.japan@wolfvision.com

USA Sales Office
WolfVision, Inc.
Tel. +1 770 931 6802
sales@wolfvision.us

Nordic Sales Office
WolfVision Nordic (Norway)
Tel. +47 9186 9736
wolfvision.nordic@wolfvision.net

UK Sales Office
WolfVision UK Ltd.
Tel. +44 1628 509 067
wolfvision.uk@wolfvision.com

Middle East Sales Office
WolfVision Middle East (Dubai)
Tel. +971 5617 40008
wolfvision.mideast@wolfvision.com

Asia Sales Office
WolfVision Pte. Ltd. (Singapore)
Tel. +65 6636 1268
wolfvision.asia@wolfvision.net

Germany Sales Office
WolfVision GmbH
Tel. 0800 9828 787
wolfvision.deutschland@wolfvision.com

